



MOSQUE CARPET COLLECTION 2026

Sulaimani Mosque




Technical Specifications:

Construction: Level Cut Pile
Yarn Pile: 100% BCF Synthetic Fiber
Pile Weight: 30oz ±
Total Weight: 42oz ±
Pile Height: 8mm±
Total Height: 10mm±
Primary Backing: Woven Polypropylene
Secondary Backing: Action Bac
Roll Size: 3.66 x 30m
Tested by SIRIM




Azmeer Blue (710)



Sofwan Red (712)



Maluku Green (714)





Sofwan Red (712)



Azmeer Blue (710)



Maluku Green (714)

Biduri Mosque

Technical Specifications:

Pile Fibre : 100% Polypropylene

Construction : Cut Pile

Pile Weight : 24 Oz p.s.y ($\pm 5\%$)

Pile Height : 5mm ($\pm 5\%$)

Primary Backing : Woven Polypropylene

Secondary Backing : Action Bac

Width : 3.66m (12')

Tested by SIRIM



Maroon (523)



Green (568)



Blue (555)



BLUE (555)



GREEN (568)



MAROON (523)

Aydin Mosque



Technical Specifications:

Fibre : 100% BCF Duralox Olefin
 Construction : Cut Pile Graphic
 Machine Gauge : 1/8"
 Tuft Density : $\pm 98\ 000/m^2$
 Pile Thickness : $\pm 8\ mm$
 Total Thickness : $\pm 10\ mm$
 Pile Gross Weight : ca. 28 oz/sqyd
 Total Weight : ca. 55 oz/sqyd
 Backing : Action Back
 Roll Width : 3.66 meter (12')
 Stitches/10cm : 39.0
 Static Propensity : Under 3kv
 Smoke Density : Less than 450
 Flammability : 8 passes (ASTM D-2859-96 & CPSC FF-170)
 Suitability : Mosques, Prayer Halls, Surau
 Tested by SIRIM



Zara Maroon
(531)




Sufi Green
(563)



Morocco
Turquoise (554)




Antalia Blue
(555)



Beige Brown
(595)

6cm :::::





Zara Maroon (531)



Sufi Green (563)



Morocco Turquoise (554)



Antalia Blue (555)



Beige Brown (595)

Qariah Mosque



Technical Specifications:

Fibre	: 100% BCF DURALOX OLEFIN
Construction	: Cut Pile Graphic
Machine Gauge	: 1/8"
Tuft Density	: $\pm 98\,000/\text{m}^2$
Pile Thickness	: $\pm 8\text{ mm}$
Total Thickness	: $\pm 10\text{ mm}$
Pile Gross Weight	: ca. 28 Oz/sqyd
Total Weight	: ca. 55 Oz/sqyd
Backing	: Action Back
Roll Width	: 3.66 meter (12')
Stitches/10CM	: 39.0
Static Propensity	: Under 3kv
Smoke Density	: Less than 450
Flammability	: 8 passes (ASTM D-2859-96 & CPSC FF-170)
Suitability	: Mosques, Prayer Halls, Surau
Tested by	SIRIM




Blue Gold (554)



New Maroon/Gold (523)



New Green/Gold (565)





Blue Gold (554)




New Maroon/Gold (523)



New Green/Gold (565)

Al Salam Mosque



Technical Specifications:

Fibre : 100% Coiler Heatset Frieze
Construction : Cut Pile Graphic
Machine Gauge : 1/8"
Tuft Density : $\pm 122\ 850/\text{m}^2$
Pile Thickness : $\pm 8\ \text{mm}$
Total Thickness : $\pm 10\ \text{mm}$
Pile Gross Weight : ca. 34 oz/sqyd
Total Weight : ca. 55 oz/sqyd
Backing : Action Back
Stitches/10CM : 39.0
Static Propensity : Under 3kv
Smoke Density : Less than 450
Flammability : 8 passes (ASTMD-2859-96 & CPSC FF-170)
Suitability : Mosques, Prayer Halls, Surau
Roll Width : 3.66 meter (12')
Tested by SIRIM



Sitra Maroon



Hazara Gold




Astara Blue



Julfa Green




Salima Jade






Sitra Maroon



Hazara Gold



Astara Blue



Salima Jade



Julfa Green

Bahara Mosque



Technical Specifications:

Pile : 100% Duralox Olefin
Construction : Woven Incorporated Wilton
Surface : Level Cut Pile (Carved & Embossed)
Pile Height : 9mm
Total Height : 11mm
Pile Weight : ± 36 Oz/sqyd
Total Weight : ± 1700 g/m²
Points : 190278/m²
Shot Density : 66/10cm
Warp Rate : 32/10cm
Roll Width : 3.66m (12')
Flammability : Low Radius Effects
Light Fastness : 5-6
Water Resistance : 4-5
Country of Origin : TURKEY
Tested by SIRIM



Jasrah Beige




Rayyan Red



Lusail Green



Zeinab Gold





Jasrah Beige



Rayyan Red



Lusail Green



Zeinab Gold

Boukhara Mosque



Technical Specifications:

Pile : 100% Duralox Olefin
Construction : Woven Incorporated Wilton
Surface : Level Cut Pile (Carved & Embossed)
Pile Height : 9mm
Total Height : 11mm
Pile Weight : ± 36 Oz/sqyd
Total Weight : ± 1700 g/m²
Points : 190278/m²
Shot Density : 66/10cm
Warp Rate : 32/10cm
Roll Width : 3.66m (12')
Flammability : Low Radius Effects
Light Fastness : 5-6
Water Resistance : 4-5
Country of Origin : TURKEY
Tested by SIRIM



Samani Green




Kalyan Blue



Mikhail Maroon



Khanyam Gold





Samani Green



Kalyan Blue



Mikhail Maroon



Khanyam Gold

Byram Mosque



Technical Specifications:

Fibre : 100% Duralox Olefin
Surface : Level Cut Pile (Carved & Embossed)
Pile Height : 9mm
Total Height : 11mm
Pile Weight : ± 36 Oz/sqyd
Total Weight : ± 1700 g/m²
Points : 190278/m²
Shot Density : 66/10cm
Warp Rate : 32/10cm
Roll Width : 3.66m (12')
Flammability : Low Radius Effects
Light Fastness : 5-6
Water Resistance : 4-5
Country of Origin : TURKEY
Tested by SIRIM



Sulmani Green




Musfani Red



Jafisa Blue



Hazrul Gold





Sulamani Green



Musfani Red




Jafisa Blue



Hazrul Gold

Jazbah Mosque



Technical Specifications:

Construction : Woven Incorporated Wilton

Surface : Level Cut Pile

Pile Height : 11 mm

Total Height : 13 mm

Pile Weight : $\pm 1600\text{gms}$

Total Weight : $\pm 2300\text{gms/m}^2$

Shot Density : 96/10cm

Points : 307200/m²

Warp Rate : 32/10cm

Roll Width : 3.97 m

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Country of Origin : TURKEY

Tested by SIRIM




Kabira Blue



Asyah Maroon



Zayeena Green





Asyah Maroon



Kabira Blue



Zayeena Green

Jazeera Mosque



Technical Specifications:

Construction : Woven Incorporated
Wilton

Surface : Level Cut Pile

Pile Height : 11 mm

Total Height : 13 mm

Pile Weight : $\pm 1600\text{gms}$

Total Weight : $\pm 2300\text{gms/m}^2$

Shot Density : 96/10cm

Points : 307200/m²

Warp Rate : 32/10cm

Roll Width : 3.95 m

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Country of Origin : TURKEY

Tested by SIRIM




Ruwais Gold



Dhaid Maroon



Masfut Green





Dhaid Maroon




Masfut Green



Ruwais Gold

Jannat Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton (Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Polypropylene

Nuanced Shine Yarn

Pile Height: 12mm (± 1 mm)

Total Height: 13mm (± 1 mm)

Pile Weight: ± 1600 gms (48 oz)

Total Weight: ± 2300 gms/m² (70 oz)

Shot Density: 96/10cm

Warp Rate: 32/10cm

Width: 3.97m (13')

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY

Tested by SIRIM



Hafsa Maroon




Yalisha Green



Karima Navy




Mavisha Light Blue







Hafsa Maroon



Yalisha Green



Karima Navy



Mavisha Light Blue

Kameel Raudah Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)
Surface: Level Cut Pile
Pile Content: 100% Coiler Heatset
Polypropylene Olefin
Pile Height: +/- 13mm
Total Height: +/- 14mm
Pile Weight: +/- 1900 g/m² (60 Oz)
Total Weight: +/- 2500 g/m² (75 Oz)
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.97m (13')
Syaf Repeat: 1.33m (4 ft. 3 in.)
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Country of Origin: TURKEY
Tested by SIRIM




Raees Maroon



Faruk Blue



Afsha Green





Raees Maroon



Faruk Blue



Afsha Green

Kaayna Raudah Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Coiler Heatset

Polypropylene Olefin

Pile Height: +/- 13mm

Total Height: +/- 14mm

Pile Weight: +/- 1900 g/m² (60 Oz)

Total Weight: +/- 2500 g/m² (75 Oz)

Shot Density: 120/10cm

Warp Rate: 37.5/10cm

Width: 3.97m (13')

Syaf Repeat: 1.33m (4 ft. 3 in.)

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY

Tested by SIRIM



Rajab Maroon



Alimah Green




Fazli Blue



Zahan Gold



Azraq Sky Blue





Zahan Gold



Azraq Sky Blue



Rajab Maroon




Alimah Green



Fazli Blue

Mahek Mosque

4 Million / ٤ مليون خيط



Technical Specifications:


Construction: Woven Incorporated Wilton
Surface: Level Cut Pile
Pile Content: 100% Coiler Heatset Olefin
Pile Height: 16mm
Total Height: 18mm
Pile Weight: +/- 2500 g/m2
Total Weight: +/- 3200 g/m2 (ca.160 Oz/yd2)
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.95m (13')
Design Repeat: 1.32m (4ft 3in)
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Tested by SIRIM



Shona Green



Tiana Maroon






Shona Green



Tiara Maroon

Mashal Mosque

4 Million / ٤ مليون خيٲ




Technical Specifications:

Construction: Woven Incorporated Wilton
Surface: Level Cut Pile
Pile Content: 100% Coiler Heatset Olefin
Pile Height: 16mm
Total Height: 18mm
Pile Weight: +/- 2500 g/m2
Total Weight: +/- 3200 g/m2 (ca.160 Oz/yd2)
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.95m (13')
Design Repeat: 1.32m (4ft 3in)
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Tested by SIRIM



Sawdah Green

Rameena Maroon





Sawdah Green



Rameena Maroon


Malyka Mosque

4 Million / ٤ مليون خيط




Technical Specifications:

Construction : Woven Incorporated Wilton
Surface : Level Cut Pile
Pile Content : 100% Coiler Heatset Olefin
Pile Height : 16mm
Total Height : 18mm
Pile Weight : $\pm 2500 \text{ g/m}^2$
Total Weight : $\pm 3200 \text{ g/m}^2$ (160 oz)
Shot Density : 120/10cm
Warp Rate : 37.5/10cm
Width : 3.97m (13')
Design Repeat : 1.32m (4'3")
Flammability : Low Radius Effects
Light Fastness : 5-6
Water Resistance : 4-5
Tested by SIRIM



Risha Green




Anoor Turquoise




Zaki Grey




Bira Maroon





Risha Green



Anoor Turquoise



Zaki Grey



Bira Maroon

Muneera Raudah Mosque

2 Million



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)
Surface: Level Cut Pile
Pile Content: 100% Polypropylene Heatset 1500
Detex Nuanced Shine Yarn (heavy duty)
Pile Height: ± 16 mm
Total Height: ± 18 mm
Pile Weight: ± 3350 g/m² (ca.130 Oz/yd²)
Total Weight: ± 3650 g/m² (ca. 150 Oz/yd²)
Shot Density: 480/10 cm
Roll Width: 3.97m (13')
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Syaf Repeat: 133cm X 100cm
Tested by SIRIM



Shaneera Red



Razeemah Green




Maysaa Turquoise



Fawzia Navy





Maysaa Turquoise



Fawzia Navy



Shaneera Red



Razeemah Green

Mehnaaz Mosque

4 Million / ٤ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Polypropylene Heatset
1500 Detex Nuanced Shine Yarn (heavy duty)

Pile Height: ± 16 mm (± 1 mm)

Total Height: ± 18 mm (± 1 mm)

Pile Weight: ± 3350 g/m² (ca. 130 Oz/yd²)

Total Weight: ± 3650 g/m² (ca. 150 Oz/yd²)

Shot Density: 480/10 cm

Roll Width: 3.97m (13')

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Syaf Repeat: 133cm X 61cm

Tested by SIRIM




Masoori Maroon




Nayari Green



Gulash Blue



Mawlid Navy






Masoori Maroon



Nayari Green



Gulash Blue



Mawliq Navy

Myasheen Mosque

4 Million / ٤ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Polypropylene Heatset
1500 Detex Nuanced Shine Yarn (heavy duty)

Pile Height: ± 16 mm (± 1 mm)

Total Height: ± 18 mm (± 1 mm)

Pile Weight: ± 3350 g/m² (ca. 130 Oz/yd²)

Total Weight: ± 3650 g/m² (ca. 150 Oz/yd²)

Shot Density: 480/10 cm

Roll Width: 3.97m (13')


Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Syaf Repeat: 133cm X 61cm


Tested by SIRIM



Firaq Maroon




Yulia Green



Bidariq Turquoise




Miqali Beige






Firaq Maroon



Yulia Green



Bidariq Turquoise



Miqali Beige

Mansoura Raudah Mosque

4 Million / ٤ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Polypropylene Heatset

1500 Detex Nuanced Shine Yarn (heavy duty)

Pile Height: ± 16 mm (± 1 mm)

Total Height: ± 18 mm (± 1 mm)

Pile Weight: ± 3350 g/m² (ca. 130 Oz/yd²)

Total Weight: ± 3650 g/m² (ca. 150 Oz/yd²)

Shot Density: 480/10 cm

Roll Width: 3.99m (13')

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Syaf Repeat: 133cm X 100cm

Tested by SIRIM



Yalim Green




Barika Maroon



Jazia Mint




Nizar Gold





Yalim Green



Barika Maroon



Jazia Mint



Nizar Gold

Muzzafar Raudah Medallion Mosque

4 Million / ٤ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Polypropylene Heatset
1500 Detex Nuanced Shine Yarn (heavy duty)

Pile Height: ± 16 mm (± 1 mm)

Total Height: ± 18 mm (± 1 mm)

Pile Weight: ± 3350 g/m² (ca. 130 Oz/yd²)

Total Weight: ± 3650 g/m² (ca. 150 Oz/yd²)

Shot Density: 480/10 cm

Roll Width: 3.97m (13')

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Syaf Repeat: 132.3cm X 80cm

Tested by SIRIM



Rufiya Maroon



Inaya Gold




Hayat
Dark Green



Sadiya Grey

27cm 105.3cm





Rufiya Maroon



Inaya Gold



Hayat Dark Green



Sadiya Grey

Taafiz Raudah Mosque

2 Million / ٢ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom) 400 Reeds

Technique: Double Rapier Face-to-Face

Pile Content: 100% Polypropylene

Heatset 1900 Detex

Pile Height: 16mm

Total Height: 18mm

Pile Weight: +/- 2950 g/m2 (150 Oz)

Total Weight: +/- 3550 g/m2 (162 Oz)

Shot Density: 1850

Warp Rate: 50.5/10cm

Width: 4.00m (13' 2")

Syaf Repeat: 1.33m (4 ft. 3 in.)

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY


Tested by SIRIM



Dawar Red



Badir Green





Dawar Red



Badir Green

Tasbih Raudah Medallion Mosque

2 Million / ٢ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom) 400 Reeds

Technique: Double Rapier Face-to-Face

Pile Content: 100% Polypropylene

Heatset 1900 Detex

Pile Height: 16mm

Total Height: 18mm

Pile Weight: +/- 2950 g/m² (150 Oz)

Total Weight: +/- 3550 g/m² (162 Oz)

Shot Density: 1850

Warp Rate: 50.5/10cm

Width: 4.00m (13' 2")

Syaf Repeat: 1.33m (4 ft. 3 in.)

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY


Tested by SIRIM



Sera Red



Hena Green





Sera Red



Hena Green

Umraz Raudah Mosque

5 Million / ٥ مليون خيط



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom) 400 Reeds

Technique: Double Rapier Face-to-Face

Pile Content: 100% Polypropylene

Heatset 1900 Detex

Pile Height: 16mm

Total Height: 18mm

Pile Weight: +/- 3150 g/m² (160 Oz)

Total Weight: +/- 3650 g/m² (172 Oz)

Shot Density: 2550

Warp Rate: 50.5/10cm

Width: 4.00m (13' 2")

Syaf Repeat: 1.33m (4 ft. 3 in.)


Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY


Tested by SIRIM




Gamali Red



Raza Green





Gamali Red



Raza Green

Yasin Rawdah Mosque

4 Million / ٤ مليون خيط



Technical Specifications:

Pile Content : 100% Polypropylene Heatset 1500 Detex

Pile Height : 15 mm

Pile Weight : ± 2800 g/m² (ca.110 Oz/yq²)

Total Weight : 3200 g/m² (130 Oz)

Shot Density : 480/10cm

Width : 4.00 m

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Design Repeat : 100cm x 133cm

Tested by SIRIM



Mahir Maroon




Cyrus Beige



Bardia Blue



Ghamir Green





Mahir Maroon



Cyrus Beige



Bardia Blue



Ghamir Green

Qom Persian Raudah Mosque

2 Million



Technical Specifications:

Construction : Woven Incorporated Wilton (Power Loom) 700 Reeds
Technique : Double Rapier Face-to-Face
Pile Content : 100% Wool Feel Olefin Heatset 8 Colour Frame
Pile Height : 13mm
Total Height : 15mm
Pile Weight : ± 3000 g/m2 (152 Oz)
Total Weight : ± 3550 g/m2 (162 Oz)
Shot Density : 3000
Warp Rate : 50.5/10cm
Width : 4.00m (13'2")
Syaf Repeat : 1.32m (4'3")
Flammability : Low Radius Effects
Light Fastness : 5-6
Water Resistance : 4-5
Country of Origin : ESFAHAN PERSIA
Tested by SIRIM



Afshin Beige




Shahin Blue



Rahat Red



Ghifar Green





Afshin Beige



Shahin Blue



Rahat Red



Ghifar Green

Qom Rasoul Raudah Mosque

2 Million



Technical Specifications:

Construction : Woven Incorporated Wilton

(Power Loom) 700 Reeds

Technique : Double Rapier Face-to-Face

Pile Content : 100% Wool Feel Olefin Heatset

8 Colour Frame

Pile Height : 13mm

Total Height : 15mm

Pile Weight : ± 3000 g/m² (152 Oz)

Total Weight : ± 3550 g/m² (162 Oz)

Shot Density : 3000

Warp Rate : 50.5/10cm

Width : 4.00m (13'2")

Syaf Repeat : 1.32m (4'3")

Flammability : Low Radius Effects

Light Fastness : 5-6


Water Resistance : 4-5

Country of Origin : ESFAHAN PERSIA


Tested by SIRIM



Vida Beige




Bano Cream




Salomi Green



Mirza Red



Ziba Blue





Vida Beige



Bano Cream



Salomi Green



Mirza Red



Ziba Blue

Zareena Mosque

5 Million / ٥ مليون خيط



Technical Specifications:

Construction : Woven Incorporated Wilton
(Power Loom)

Surface : Level Cut Pile (5 Million Yarn Count)

Pile Content : 100% Polypropylene Heatset 1700

Detex Nuanced Shine Yarn (heavy duty)

Pile Height : $\pm 18\text{mm}$ ($\pm 1\text{mm}$)

Total Height : $\pm 20\text{mm}$ ($\pm 1\text{mm}$)

Pile Weight : $\pm 3650\text{ g/m}^2$ (150 Oz)

Total Weight : $\pm 3850\text{ g/m}^2$ (170 Oz)

Shot Density : 480/10cm

Width : 3.97m (13')

Syaf Repeat : 132cm x 50cm

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Country of Origin : TURKIYE

Tested by SIRIM




Emaar Beige



Hafiza Red



Rayshaa Dark Green





Emaar Beige



Rayshaa Dark Green



Hafiza Red

Rumi Round Mosque



GB14-CREAM



GB14-GOLD

Yasin Raudah Round Mosque



NAVY



GREEN



MAROON



MOSQUE CARPET COLLECTION


PROMO

Gulzar Mosque




Technical Specifications:


Fibre : 100% BCF Duralox Olefin
Construction : High Low Loop Scroll
Denier : 2900/Denier
Tuft Density : $\pm 189\ 600/\text{m}^2$
Machine Gauge : 1/12'
Pile Thickness : $\pm 5\text{mm}$
Total Thickness : $\pm 7\text{mm}$
Pile Gross Weight : ca.28 oz/yd²
Roll Width : 3.66 meter (12')
Stitches/10CM : 48.0
Light Fastness : 5-6 (AAPCC 16E)
Flammability : 8 Passes
Tested by SIRIM




Tabah Maroon (626)




Mali Blue (656)




Jabeen Green (666)






Tabah Maroon (626)



Mali Blue (656)



Jabeen Green (666)

Ghalib Mosque



Technical Specifications:

Fibre : 100% BCF Duralox Olefin
Construction : High Low Loop Scroll
Denier : 2900/Denier
Tuft Density : $\pm 189\ 600/m^2$
Machine Gauge : 1/12'
Pile Thickness : $\pm 5mm$
Total Thickness : $\pm 7mm$
Pile Gross Weight : ca 28 Oz/yd²
Roll Width : 3.66 meter (12')
Stitches/10cm : 48.0
Light Fastness : 5-6 (AAPCC 16E)
Flammability : 8 Passes
Tested by SIRIM



Solino Mint
(663)




Tunisia Blue
(655)



Yamira Maroon
(626)



Aruza Gold
(636)






Solino Mint (663)



Yamira Maroon (626)



Tunisia Blue (655)




Aruza Gold (636)

Guzarish Mosque

Technical Specifications:

Fibre : 100% BCF Duralox Olefin
Construction : High Low Loop Scroll
Denier : 2900/Denier
Tuft Density : $\pm 189\ 600/m^2$
Machine Gauge : 1/12'
Pile Thickness : $\pm 5mm$
Total Thickness : $\pm 7mm$
Pile Gross Weight : ca. 28 Oz/yd²
Roll Width : 3.66 meter (12')
Stitches/10cm : 48.0
Light Fastness : 5-6 (AAPCC 16E)
Flammability : 8 Passes
Tested by SIRIM





Asana Green (667)



Mayari Maroon (626)



Gregor Grey (675)



Morina Blue (653)

Mecca Aisyah Mosque



Technical Specifications:

Construction : Woven Incorporated Wilton

Surface : Level Cut Pile

Pile Content : 100% Coiler Heatset Olefin

Pile Height : 10 mm

Total Height : 12 mm

Pile Weight : ± 2850 g/m²

Total Weight : ± 3450 g/m²

Shot Density : 120/10 cm


Warp Rate : 37.5/10 cm

Width : 3.97 m

Flammability : Low Radius Effects

Water Resistance : 4-5

Tested by SIRIM





Layla Maroon

Muzdaliana Mosque



Technical Specifications:

Pile Content: 100% Polypropylene
Heatset 1500 Detex
Pile Height: 15mm
Pile Weight: $\pm 2800 \text{ g/m}^2$ (ca.110 Ozz/yq2)
Shot Density: 480/10cm
Width: 3.97m
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Design Repeat: 61cm x 133cm
Tested by SIRIM



Rumali
Maroon




Cormi
Turquoise



Bari Beige



Imaret
Green






Rumali Maroon



Cormi Turquoise



Bari Beige



Imaret Green

Madinah Raudah Mosque

1.5 Million



Technical Specifications:

Construction: Woven Incorporated Wilton

Surface: Level Cut Pile

Pile Content: 100% Coiler Heatset Olefin

Pile Height: 12mm

Total Height: 15mm

Pile Weight: $\pm 3000 \text{ g/m}^2$ (ca. 110 Oz/yd²)

Total Weight: $\pm 3700 \text{ g/m}^2$

Shot Density: 120/10cm

Warp rate: 37.5/10cm

Roll Width: 3.97m (13')

Design Repeat: 1.32m X 65cm (4ft. 3in)

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Tested by SIRIM



Awali Maroon





Awali Maroon

Pareeza Mosque




Technical Specifications:

Construction: Woven Incorporated
Wilton (Power Loom)
Surface: High Low Cut Shrink
Pile Content: 70% Coiler Heatset
Polypropylene Olefin + 30% Polyester
Shrink
Pile Height: 13mm
Total Height: 15mm
Pile Weight: +/- 2500 g/m²
Total Weight: +/- 3200 g/m² (90 Oz)
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.97m (13')
Syaf Repeat: 1.32m (4 ft. 3 in.)
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Country of Origin: TURKEY
Tested by SIRIM




Sumaya Maroon



Shavin Green



Kayla Navy





Sumaya Maroon



Shavin Green




Kayla Navy

Payazhan Mosque




Technical Specifications:


Construction: Woven Incorporated
Wilton (Power Loom)
Surface: High Low Cut Shrink
Pile Content: 70% Coiler Heatset
Polypropylene Olefin + 30% Polyester Shrink
Pile Height: 13mm
Total Height: 15mm
Pile Weight: +/- 2700 g/m2
Total Weight: +/- 3400 g/m2 (100 Oz)
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.97m (13')
Syaf Repeat: 1.32m (4 ft. 3 in.)
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Country of Origin: TURKEY
Tested by SIRIM




Adani Maroon



Haraz Green



Anarki Navy





Adani Maroon



Haraz Green



Anarki Blue

Rizwana Raudhah Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Coiler Heatset

Polypropylene Olefin

Pile Height: 13mm

Total Height: 15mm

Pile Weight: +/- 2500 g/m²

Total Weight: +/- 3200 g/m² (90 Oz)

Shot Density: 120/10cm

Warp Rate: 37.5/10cm

Width: 4.00m (13'2")

Syaf Repeat: 1.32m (4 ft. 3 in.)


Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY


Tested by SIRIM



Rasim Maroon

Bazi Green

Gulab Blue





Rasim Maroon



Bazi Green



Gulab Blue

Rafeeq Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton
(Power Loom)

Surface: Level Cut Pile

Pile Content: 100% Coiler Heatset

Polypropylene Olefin

Pile Height: 13mm

Total Height: 15mm

Pile Weight: +/- 2500 g/m2

Total Weight: +/- 3200 g/m2 (90 Oz)

Shot Density: 120/10cm

Warp Rate: 37.5/10cm

Width: 4.00m (13'2")

Syaf Repeat: 1.32m (4 ft. 3 in.)

Flammability: Low Radius Effects

Light Fastness: 5-6

Water Resistance: 4-5

Country of Origin: TURKEY

Tested by SIRIM




Roma Maroon



Bahir Green



Gazi Blue





Roma Maroon




Bahir Green



Gazi Blue

Soraiya Mosque



Technical Specifications:

Construction: Woven Incorporated Wilton
Surface: 100% Coiler Heatset Olefin (Level Cut Pile)
Pile Height: 10mm
Total Height: 12mm
Pile Weight: ± 2500 g/m²
Total Weight: ± 3200 g/m²
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.97m (13')
Design Repeat: 1.32 m (4'3")
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Country of Origin: TURKEY
Tested by SIRIM



Yara Green



Zeinab Gold



Yasin Maroon



Malika Blue

30cm(12") 102cm(40")



3.97m(13')



Malika Blue



Zeinab Gold



Yara Green



Yasin Maroon

Saifyee Mosque



Technical Specifications:

Construction : Woven Incorporated Wilton

Surface : Level Cut Pile

Pile Content : 100% Coiler Heatset Olefin

Pile Height : 10mm

Total Height : 12mm

Pile Weight : $\pm 2500\text{gms}$

Total Weight : $\pm 3200\text{gms/m}^2$

Shot Density : 120/10cm

Warp Rate : 37.5/10cm

Width : 3.97m (13')

Syaf Repeat : 1.32m (4'3")

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Country of Origin : TURKEY

Tested by SIRIM




Blue




Gold



Maroon



Dark Green





Blue



Gold




Maroon




Dark Green

Salima Mosque




Technical Specifications:


Construction: Woven Incorporated Wilton
Surface: Level Cut Pile
Pile Content: 100% Coiler Heatset Olefin
Pile Height: 10mm
Total Height: 12mm
Pile Weight: $\pm 2500 \text{ g/m}^2$
Total Weight: $\pm 3200 \text{ g/m}^2$
Shot Density: 120/10cm
Warp Rate: 37.5/10cm
Width: 3.97m (13')
Design Repeat: 1.32 m (4'3")
Flammability: Low Radius Effects
Light Fastness: 5-6
Water Resistance: 4-5
Country of Origin: TURKEY
Tested by SIRIM



Nahla Beige Elham Brown



Oma Maroon Alya Green Darius Turquoise





Darius Turquoise




Nahla Beige



Elham Brown




Oma Maroon



Alya Green

Yasmin Mosque

1.5 Million



Technical Specifications:

Pile Content : 100% Polypropylene Heatset 1500 Detex

Pile Height : 16 mm

Total Height : 18 mm

Pile Weight : $\pm 2800 \text{ g/m}^2$ (ca.110 Oz/yq²)

Total Weight : $\pm 3200 \text{ g/m}^2$ (160oz)

Shot Density : 480/10cm

Width : 4.00 m

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5


Tested by SIRIM



Yarra Maroon



Hasibh Green





Yarra Maroon



Hasibh Green

Yunisia Mosque



Technical Specifications:

Pile Content : 100% Polypropylene Heatset 1500 Detex

Pile Height : 15 mm

Pile Weight : $\pm 2800 \text{ g/m}^2$ (ca.110 Oz/yq²)

Shot Density : 480/10cm

Width : 4.00 m

Flammability : Low Radius Effects

Light Fastness : 5-6

Water Resistance : 4-5

Design Repeat : 71cm X 133cm

Tested by SIRIM




Ghasif Green



Raahim Red



Bareed Blue






Ghasif Green



Raahim Red



Bareed Blue